




KL-0183-80

Vibration Damper Puller Ford



Product information EN
 ⚠ Read and understand before use!



www.gedore-automotive.com



GEDORE Automotive GmbH

Breslauer Straße 41
 78166 - Donaueschingen
 Postfach 1329
 78154 Donaueschingen - GERMANY

☎ +49 (0) 771 / 8 32 23-0
 ☎ +49 (0) 771 / 8 32 23-90
 ✉ info.gam@gedore.com
 🌐 gedore-automotive.com

GEDORE TOOLS, INC.

Only for USA, Canada & Mexico / Sólo para EE.UU., Canadá y México
 Seulement pour les USA, le Canada et le Mexique
 7187 Bryhawke Circle, Suite 700
 North Charleston, SC 29418, USA

☎ +1-843 / 225 50 15
 ☎ +1-843 / 225 50 20
 ✉ info@gedoretools.com
 🌐 gedore.com

Version 10/2022

Product description

KL-0183-80 - Vibration damper puller Ford

Fits crankshaft vibration dampers on Ford 1.5 EcoBoost and 2.0 EcoBlue engines. Installed, for example, on Ford Kuga, Focus IV, KA+, Transit, Transit Custom, and Tourneo, etc. (Engine code: 1.5 EcoBoost YZDA, Y1DA, B2KA, YSKD, YSKE; 2.0 EcoBlue YLFS, YMFS, YNFS, YLF6, YMF6, YNR6, YMR6, YLR6, YNF6)

Alternative tools: Ford 222114002300

For quick and professional removal of the crankshaft vibration damper. Even severely tight-fitting vibration dampers are no problem for this sturdy puller.

EN



Scope of delivery/Spare parts overview

Item	Part no.	Description	Qty.
-	KL-0183-80	Vibration damper puller Ford	1
A	KL-0174-817	Spindle with pin (14mm dia.) M20x1.5 x 150	1
B	KL-0183-801	Thrust piece for crankshaft	1
C	KL-0183-803	Supplement Ford 2.0 EcoBlue	1
D	KL-0183-8041	Perforated disc	1
E	KL-0183-802	Supplement Ford 1.5 EcoBoost	1


Specifications

For engine type:Petrol + Diesel


Clamping range: 66 / 108mm diameter

Weight:2.5kg

📷 1: Removal on Ford 1.5 EcoBoost



📷 2: Removal on Ford 2.0 EcoBlue



⚠ Safety instructions and regulations

- ✔ **Before using** the special tool, read and understand **all** safety instructions and **follow** them for **safe use!**
- ✔ Use the special tool **as intended** and **always** carry out maintenance and repairs in compliance with the regulations on occupational safety and accident prevention as well as the vehicle manufacturer's instructions!
- ✔ **Before each use**, check the special tool **carefully** for damage, loose parts, or unauthorised modifications. **Never** use it if you notice any such deficiencies!
- ✔ **Always** wear your personal protective equipment (*such as safety goggles, protective gloves, safety shoes*) during work!

EN

Typical application

Example **📷 1** shows the removal of the crankshaft vibration damper on a Ford 1.5 EcoBoost engine using the three hooks from supplement **[E]**.

Example **📷 2** shows the removal of the crankshaft vibration damper on a Ford 2.0 EcoBlue engine using the two screws from supplement **[C]**.

GEDORE-Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 - Remscheid
Postfach 120361
47873 Remscheid
GERMANY

Vertrieb DEUTSCHLAND

☎ +49 (0) 2191 / 596-0
☎ +49 (0) 2191 / 596-230
✉ info@gedore.com
🌐 www.gedore.com

Sales INTERNATIONAL

☎ +49 (0) 2191 / 596-910
☎ +49 (0) 2191 / 596-911
✉ info@gedore.com
🌐 www.gedore.com

GEDORE TOOLS, INC.

Only for USA, Canada & Mexico
Sólo para EE.UU., Canadá y México
Seulement pour les USA, le Canada et le Mexique
7187 Bryhawke Circle, Suite 700, North Charleston, SC 29418, USA

☎ +1-843 / 225 50 15
☎ +1-843 / 225 50 20
✉ info@gedoretools.com
🌐 www.gedoretools.com

Worldwide GEDORE service centers and offices are listed on the Internet at: www.gedore.com

GEDORE Automotive GmbH

Breslauer Straße 41
78166 - Donaueschingen
Postfach 1329
78154 Donaueschingen
GERMANY

Vertrieb DEUTSCHLAND

☎ +49 (0) 771 / 8 32 23-0
☎ +49 (0) 771 / 8 32 23-90
✉ info.gam@gedore.com
🌐 gedore-automotive.com



www.gedore-automotive.com